



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
Revision date 06.07.2023
Version 1.1 (en)
replaces version of 15.02.2023 (1.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Product category PC-CLN-17.3 Interior cleaning and care products (excludes air care products, and products for upholstery or leather)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
cleaner

1.3 Details of the supplier of the safety data sheet

Supplier

Mercedes-Benz AG
70546 Stuttgart
Germany
+49 (0)711 17-0
Telefon + 49 (0)711 17-97390
Telefax + 49 (0)711 17-94831
E-Mail (fachkundige Person) mercedes-benz-sdb@mercedes-benz.com

Manufacturer

Mercedes-Benz AG

70546 Stuttgart
Germany

Telephone +49 711 17-0
E-mail (competent person):
mercedes-benz-sdb@mercedes-benz.com

1.4 Emergency telephone number

+49 711 17-0
gms.aftersales.mercedes-benz.com
Giftnotruf der Charité – Universitätsmedizin Berlin +49 (0)30 30686700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2, H319

hazard statements for health hazards

H319 Causes serious eye irritation.

**A 001 986 59 71 15****LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung**

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

2.2 Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]****Hazard pictograms**

GHS07

Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with regional regulations.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Other labelling

< 5% non-ionic surfactants

< 5% aliphatic hydrocarbons

< 5% amphoteric surfactants

Preservatives (Pyrithione sodium, Benzisothiazolinone, Methylisothiazolinone)

2.3 Other hazards**Adverse environmental effects**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition / information on ingredients**3.1 Substances**

not applicable

3.2 Mixtures**Hazardous ingredients**

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
69011-36-5	500-241-6	isotridecanol, ethoxylated	1 - 2.5 %	Acute Tox. 4; H302 Eye Dam. 1; H318	ATE(oral): > 2000 mg/kg ATE(dermal): > 2000 mg/kg

**A 001 986 59 71 15****LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung**

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
246538-78-3	920-901-0	Hydrocarbons, C11-C12, isoalkanes, 2% aromatic hydrocarbons	1 - 2.5 %	Asp. Tox. 1; H304	ATE(oral): > 5000 mg/kg ATE(dermal): > 5000 mg/kg ATE(inhalation dust/mist): > 5000 mg/L
9043-30-5	500-027-2	Isotridecyl alcohol, ethoxylated (3/4/5 EO)	≥ 1 < 2.5 %	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	ATE(oral): > 2000 mg/kg
67-63-0	200-661-7	propan-2-ol	1 - 2.5 %	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	ATE(oral): 5840 mg/kg ATE(dermal): > 12800 mg/kg ATE(dermal): 13900 mg/kg ATE(inhalation vapour): > 25 mg/L
2634-33-5	220-120-9	1,2-benzisothiazol-3 (2H)-one	< 0.05 %	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	Skin Sens. 1; H317: ≥0,05% ATE(oral): 1193 mg/kg ATE(dermal): 4115 mg/kg
3811-73-2	223-296-5	Pyridine-2-thiol 1-oxide, sodium salt	≥ 0.0025 < 0.025 %	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 2; H411; EUH070	M=100 (Aquatic Acute 1) ATE(oral): 1208 mg/kg ATE(dermal): 300 mg/kg ATE(Acute inhalation toxicity): 11 mg/L

REACH No.	Substance name
01-2119456810-40	Hydrocarbons, C11-C12, isoalkanes, 2% aromatic hydrocarbons
01-2119457558-25	propan-2-ol
01-2120761540-60	1,2-benzisothiazol-3 (2H)-one
01-2119493385-28	Pyridine-2-thiol 1-oxide, sodium salt



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
Revision date 06.07.2023
Version 1.1 (en)
replaces version of 15.02.2023 (1.0)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Following inhalation

Provide fresh air.
In the event of symptoms refer for medical treatment.

Following skin contact

In case of contact with skin wash off with warm water.
In case of skin irritation, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Do NOT induce vomiting.
Consult physician in the event of continuous problems
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing agents are suitable.
Match extinguishing agent to the surroundings.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire formation of dangerous gases possible.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023

Revision date 06.07.2023

Version 1.1 (en)

replaces version of 15.02.2023 (1.0)

Additional information

Cool endangered containers with water spray and possibly remove them from fire site.
Contaminated fire-fighting water must be collected separately; it shall not run into the sewage system, aquatic environment or into the soil.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Observe usual precautionary measures for handling chemicals.
Avoid contact with eyes.

For emergency responders

Observe usual precautionary measures for handling chemicals.
Avoid contact with eyes.
Personal protection equipment

6.2 Environmental precautions

Do not allow to enter into surface water or drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not allow to enter into soil/subsoil.
Dilute with a lot of water

6.3 Methods and material for containment and cleaning up

For containment

Collect with spongy material (all-purpose gelation agent) and dispose of in compliance with the regulations.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Provide for appropriate ventilation/aspiration at the work station
Adhere to general precaution rules when handling chemicals
Avoid:
Eye contact
No special fire protection measures are necessary.

Advices on general occupational hygiene

Keep away from food and drink.
Wash hands before breaks and after work.
Use protective skin cream before handling the product.



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No particular requirements.
 Keep container tightly closed.

Storage class

12 non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Protect against:
 Frost
 Heat

7.3 Specific end use(s)

Recommendation

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No.	EC No.	Substance name	occupational exposure limit value
67-63-0		Propan-2-ol	200 [ml/m3(ppm)] Short-term(ml/m3) 400 (1) (1) 15 minutes reference period (IE)
67-63-0		Propan-2-ol	400 [ml/m3(ppm)] 999 [mg/m3] Short-term(ml/m3) 500 Short-term(mg/m3) 1250 (UK)

DNEL worker

CAS No.	Substance name	DNEL value	DNEL type	Remark
67-63-0	propan-2-ol	888 mg/kg bw/day	long-term dermal (systemic)	
67-63-0	propan-2-ol	500 mg/m ³	long-term inhalative (systemic)	

DNEL Consumer

CAS No.	Substance name	DNEL value	DNEL type	Remark
67-63-0	propan-2-ol	26 mg/kg bw/day	long-term oral (repeated)	
67-63-0	propan-2-ol	89 mg/m ³	long-term inhalative (systemic)	
67-63-0	propan-2-ol	319 mg/kg bw/day	long-term dermal (systemic)	

PNEC

CAS No.	Substance name	PNEC Value	PNEC type	Remark
67-63-0	propan-2-ol	552 mg/kg	sediment, marine water	



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
Revision date 06.07.2023
Version 1.1 (en)
replaces version of 15.02.2023 (1.0)

CAS No.	Substance name	PNEC Value	PNEC type	Remark
67-63-0	propan-2-ol	140.9 mg/L	aquatic, freshwater	
67-63-0	propan-2-ol	552 mg/kg	sediment, freshwater	
67-63-0	propan-2-ol	28 mg/kg	soil	
67-63-0	propan-2-ol	160 mg/kg	Secondary Poisoning	
67-63-0	propan-2-ol	140.9 mg/L	aquatic, marine water	
67-63-0	propan-2-ol	140.9 mg/L	aquatic, intermittent release	
67-63-0	propan-2-ol	2251 mg/L	sewage treatment plant (STP)	

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure

Sufficient ventilation and exhaustion.

Personal protection equipment

Eye/face protection

Safety glasses recommended during transfer
EN 166

Hand protection

Glove material specification [make/type, thickness, permeation time/service life, wetting resistance]: PVC or PE, ≥ 1 mm
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

Body protection:

Protective clothing

Respiratory protection

Not required

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

yellowish

Odour

product-specific



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point			not determined
Boiling point or initial boiling point and boiling range	> 80 °C		
flammability	solid		not applicable
flammability	gaseous		not applicable
Lower and upper explosion limit	not determined		
Flash point			not applicable
Auto-ignition temperature			The product is not self-igniting.
Decomposition temperature	not determined		
pH	8.9 (20°C)		
Viscosity	not determined		
Solubility(ies)	Water solubility		completely miscible
Partition coefficient n-octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	0.99 g/cm ³ (20°C)		
Relative vapour density	not determined		
particle characteristics	not determined		

9.2 Other information

Other safety characteristics

	Value	Method	Source, Remark
Explosive properties:			The product is not explosive
Oxidising properties			no

Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions known.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

None known if used as intended.

10.5 Incompatible materials

None if used as intended.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Additional information

No risk of production of decomposition products when appropriately handled and stored

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	CAS No.67-63-0 propan-2-ol LD50: 5840 mg/kg Species Rat		
	CAS No.69011-36-5 isotridecanol, ethoxylated LD50: > 2000 mg/kg Species Rat		
	CAS No.2634-33-5 1,2-benzisothiazol-3 (2H)-one LD50: 1193 mg/kg Species Rat		
	CAS No.246538-78-3 Hydrocarbons, C11-C12, isoalkanes, 2% aromatic hydrocarbons LD50: > 5000 mg/kg Species Rat		
	CAS No.9043-30-5 Isotridecyl alcohol, ethoxylated (3/4/5 EO) LD50: > 2000 mg/kg Species Rat		
	CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt LD50: 1208 mg/kg Species Rat	OECD 401	

**A 001 986 59 71 15****LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung**

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

	Effective dose	Method,Evaluation	Source, Remark
Acute dermal toxicity	CAS No.69011-36-5 isotridecanol, ethoxylated LD50: > 2000 mg/kg Species Rabbit		
	CAS No.2634-33-5 1,2-benzisothiazol-3 (2H)-one LD50: 4115 mg/kg Species Rat		
	CAS No.67-63-0 propan-2-ol LD50: 13900 mg/kg Species Rabbit		
	CAS No.246538-78-3 Hydrocarbons, C11-C12, isoalkanes, 2% aromatic hydrocarbons LD50: > 5000 mg/kg Species Rabbit		
	CAS No.67-63-0 propan-2-ol ATE > 12800 mg/kg CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt LD50: 300 mg/kg		
Acute inhalation toxicity	CAS No.67-63-0 propan-2-ol Acute inhalation toxicity (vapour) > 25 mg/L Species Rat Exposure time 4 h	OECD 403	
	CAS No.246538-78-3 Hydrocarbons, C11-C12, isoalkanes, 2% aromatic hydrocarbons Acute inhalation toxicity (dust/mist) LC50: > 5000 mg/L Species Rat Exposure time 8 h		
	CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt LC50: 11 mg/L Exposure time 4 h		

Assessment/classification

Based on available data, the classification criteria are not met.

Skin corrosion/irritation



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
Revision date 06.07.2023
Version 1.1 (en)
replaces version of 15.02.2023 (1.0)

Animal data

Result / Evaluation	Method	Source, Remark
---------------------	--------	----------------

CAS No.246538-78-3 Hydrocarbons, C11-C12, isoalkanes, 2% aromatic hydrocarbons Repeated exposure may cause skin dryness or cracking.		
---	--	--

Assessment/classification

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Assessment/classification

Causes serious eye irritation.

Sensitisation to the respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Skin sensitisation

Assessment/classification

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.

Overall Assessment on CMR properties

This product does not meet the criteria for classification in Categories 1A/ 1B.

STOT-single exposure

STOT SE 1 and 2

Assessment/classification

Based on available data, the classification criteria are not met.

STOT SE 3

Irritation to respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

Narcotic effects

Assessment/classification

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Animal data

	Effective dose	Method	Specific effects:	Organs affected:	Source, Remark
Inhalative specific target organ toxicity (repeated exposure)	CAS No.67-63-0 propan-2-ol NOAEL(C): 12.3 mg/l Species Rat Exposure duration 96 Weeks				
Inhalative specific target organ toxicity (repeated exposure)	CAS No.67-63-0 propan-2-ol NOAEL(C): 12 mg/l Species Rat Exposure duration 13 Weeks				
Inhalative specific target organ toxicity (repeated exposure)	CAS No.67-63-0 propan-2-ol NOAEL(C): 400 mg/kg bw/day Exposure time 12 Weeks				

Assessment/classification

Based on available data, the classification criteria are not met.

Aspiration hazard

Assessment/classification

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			The substance/this mixture does not contain any components, which have endocrine disrupting properties in quantities of 0.1% or more, in accordance with REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

**A 001 986 59 71 15****LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung**

Print date 19.07.2023

Revision date 06.07.2023

Version 1.1 (en)

replaces version of 15.02.2023 (1.0)

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity**

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	CAS No.67-63-0 propan-2-ol LC50: 9640 mg/L Species Pimephales promelas (fathead minnow) Test duration 96 h	OECD 203	
	CAS No.67-63-0 propan-2-ol LC50: 9640 mg/L Species Pimephales promelas (fathead minnow) Test duration 96 h		
	CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt LC50: 0.066 mg/L Test duration 96 h		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	CAS No.67-63-0 propan-2-ol EC50 9714 mg/L Species Daphnia magna (Big water flea) Test duration 24 h		
	CAS No.9043-30-5 Isotridecyl alcohol, ethoxylated (3/4/5 EO) EC50 1- 10 mg/L Species Daphnia magna (Big water flea)		
	CAS No.69011-36-5 isotridecanol, ethoxylated EC50 1- 10 mg/L Species Daphnia magna (Big water flea)		
	CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt EC50 0.022 mg/L Species Daphnia magna (Big water flea) Test duration 48 h		
Chronic (long-term) toxicity to aquatic invertebrate	CAS No.67-63-0 propan-2-ol NOEC 30 mg/L Species Daphnia magna (Big water flea) Test duration 21 d	OECD 211	

**A 001 986 59 71 15****LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung**

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) toxicity to algae and cyanobacteria	CAS No.67-63-0 propan-2-ol EC50 > 100 mg/L Test duration 72 h		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt NOEC: 0.08 mg/L Species Selenastrum capricornutum Test duration 72 h	OECD 201	
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	CAS No.67-63-0 propan-2-ol NOEC > 1050 mg/L Species Pseudomonas putida Test duration 16 h		
	CAS No.67-63-0 propan-2-ol EC50 > 1000 mg/L Test duration 3 h	OECD 209	

Assessment/classification

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Activated sludge Degradation rate > 70 %	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No.3811-73-2 Pyridine-2-thiol 1-oxide, sodium salt

Assessment/classification

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
 Revision date 06.07.2023
 Version 1.1 (en)
 replaces version of 15.02.2023 (1.0)

Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties		The substance/this mixture does not contain any components, which have endocrine disrupting properties in quantities of 0.1% or more, in accordance with REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment.
 Do not allow undiluted or large quantities to escape into groundwater, water bodies or the sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Do not dispose together with domestic waste
 Dispose of waste according to applicable legislation.
 Avoid penetration into sewage system

Appropriate disposal / Package

Dispose of waste according to applicable legislation.

Remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	-	-	-
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

not applicable
 The product is not intended for transport as bulk goods.



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023
Revision date 06.07.2023
Version 1.1 (en)
replaces version of 15.02.2023 (1.0)

All transport carriers

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

Land transport (ADR/RID)

Remark

Not classified for this transport carrier.

Sea transport (IMDG)

Remark

Not classified for this transport carrier.

Air transport (ICAO-TI / IATA-DGR)

Remark

Not classified for this transport carrier.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

Substance safety analysis was not performed for this mixture.

SECTION 16: Other information

Indication of changes

Current safety data sheets are available at:
<https://gms.aftersales.mercedes-benz.com>

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
Eye Irrit. 2: Eye irritation, Category 2

Key literature references and sources for data

Safety data sheets of suppliers

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified according to the available hazard data for the constituents as defined in the classification criteria for mixtures for each hazard class in Appendix I of Regulation (EC) No 1272/2008.

Classification method:

Calculation

Additional information

Adhere to existing national and local rules referring to chemicals.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



A 001 986 59 71 15

LEATHER CARE FOAM for leather only with anti-static properties / Lederpflegeschaum nur für Glattledermit antistatischer Wirkung

Print date 19.07.2023

Revision date 06.07.2023

Version 1.1 (en)

replaces version of 15.02.2023 (1.0)

Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.