

CERTIFICATE OF ANALYSIS

Product Name: „Test Solution per GMW14445, Type: Sun Protection”
Batch-No.: 250401
Art.-No.: 4867, C21/11422.01
Manufacturer: Dr. Schröder Cosmetica GmbH & Co. KG
Date of Manufacture: 23.04.2025
Quantity: 11,00 Kg
Release: 23.04.2025

General Data:

Customer:

Thierry GmbH, Motorstrasse 30, 70499 Stuttgart, Deutschland

Testing Facility:

Dr. Schröder Cosmetica GmbH, Industriestr. 3, 24598 Boostedt, Deutschland

Project Management:

Dipl.-Chem. Torsten Piehler

Test Period:

23.04.2025 - 23.04.2025

Product Parameters:

1. Organoleptic

Colourless to yellowish Liquid with faint aroma

2. General Product Parameter

Parameter, analyzed

Purity / macroscopic:

Density: d:20/4

Viscosity 20°C:

Microbiology / Hygicult-Test:

Value, determined

OK

1,0251 g/ml

140 mPas

Due to the product properties, the growth of microorganisms is not to be expected. For this reason, a microbiological test was not carried out.

3. Galenic Parameter

Form:

Color:

liquid

colourless to yellowish

4. Special-Features

None

5. Assessment

With the limits of this test program, this batch does meet the manufacturing instructions.

Date: 23.04.2025

This document has been created digitally and is valid without signature.